Detection and genetic diversity of water buffalo astrovirus in feces reveals neurotropic, genetic recombinant and possible interspecies transmission

Qingli Fang¹, Mingyang Li¹, Haifeng Liu¹, Kuirong Chen¹, Chongli Wen², Kang Ouyang¹, Ying Chen¹, Zuzhang Wei¹, and Weijian Huang¹

June 13, 2020

Abstract

Astroviruses (AstVs) are major causative agents of gastroenteritis in children and had been detected worldwide. Recently, the novel neurotropic AstV associated with encephalitis and meningitis has been found in different species including human, bovine and ovine. However, little is known about the prevalence of neurotropic AstVs in water buffalo of China. In this study, we examined fecal samples from water buffalo in the Guangxi province of China and found different lineages of Water Buffalo Astrovirus (BufAstV) infections, especially the neurotropic BufAstV (BufAstV-NNA-14 GenBank: MT499772) which belongs to the VA/HMO cluster strains and this is its first detection in China. Based on the 3'RACE and next-generation sequencing technologies, 2 full-length genomes (BufAstV-NNA-14 and BufAstV-NNA-12) and 2 ORF2 genes (BufAstV-NND-s2 and BufAstV-NNA-17) of AstVs from this source were sequenced. Phylogenetic analysis of the ORF2 indicated 3 major lineages of BufAstVs including a novel neurotropic BufAstV, a BufAstV which is related to Bovine Astrovirus (BoAstV) and a classical BufAstV. Moreover, the occurrence of frequent genomic recombination between BufAstV and BoAstV strains have been identified. This is the first report to describe a neurotropic BufAstV in water buffalo feces in China and details of the epidemiology, genetic diversity and possible interspecies transmission of BoAstV and BufAstV in water buffalo from the Guangxi province of China are described.

Hosted file

200613-RC-- manuscript Fang-2.pdf available at https://authorea.com/users/333182/articles/459437-detection-and-genetic-diversity-of-water-buffalo-astrovirus-in-feces-reveals-neurotropic-genetic-recombinant-and-possible-interspecies-transmission

¹Guangxi University

²Buffalo Research Institute Chinese Academy of Agricultural Sciences and Guangxi Zhuang Nationality Autonomous Region

Sampling Location	Date	Number of samples	No. of	Positive	Partial ORF1b clone names and
		and the age	positive	rate	GenBank accession numbers
Nanning A	2019.4	10(>150 days)	6		NNA-6 (MT492426) , NNA-7 (MT492425) ,
					NNA-12 (MT492423) ,NNA-14 (MT492439) .
				80%	NNA-15 (MT492440) , NNA-17 (MT492438)
		10(<150 days)	10		NNA-11 (MT492424), NNA-13 (MT492422),
Nanning B	2019.4	10(>150 days)	0	0	
		10(<150 days)			
Nanning C	2019.4	20(<150 days)	8	40%	NNC-286 (MT492437) , NNC-296 (MT492436)
Nanning D	2019.5	20(<150 days)	2	10%	NND-S2 (MT492435) , NND-S16 (MT492434)
Nanning E	2019.5	20(>150 days)	0	0	
Beihai A	2019.6	10(<150 days)	0	0	
		10(>150 days)	U		
Beihai B	2019.6	10(>150 days)	0	5%	BH-C14 (MT492433)
		10(<150 days)	1		
Beihai C	2019.6	10(>150 days)	0	5%	BH-C22 (MT492432)
		10(<150 days)	1		BH-C22 (M1492432)
Beihai D	2019.6	9(>150 days)	0	0	
		9(<150 days)	0		
Guigang	2019.10	20(>150 days)	0	0	
Guigang B	2019.10	25(>150 days)	0	0	
Hengxian A	2019.9	29(>150 days)	0	0	
					HX-1 (MT492431) , HX-3 (MT492430) ,
Hengxian B	2019.9	24(<150 days)	5	20%	HX-4 (MT492429) , HX-5 (MT492428) ,
					HX-6 (MT492427)
Lingshan A	2019.8	21(<150 days)	0	0	
Total sample: 297		153(>150 days)	6	4%	Total positive rate: 11%
		144(<150 days)	27	18%	



