

Table 1. Length of stay in potentially low-value injury admissions

Age group	Diagnosis	Mean	Median (Q1-Q3)	Total number of days
1-15	-	-	-	-
-	Mild TBI	1.75	2 (1-2)	1 610
-	Superficial injury	1.90	2 (1-2)	539
-	Tibia fracture	2.29	2 (1-2)	204
-	Upper limb fracture	1.53	1 (1-2)	101
-	Skull vault fracture	1.87	2 (2-2)	97
-	All diagnoses	1.90	2 (1-2)	3 685
16-64	-	-	-	-
-	Superficial injury	4.28	2 (2-4)	2 830
-	Minor spine injury	2.98	2 (2-3)	1 891
-	Mild TBI	3.49	2 (2-3)	1 868
-	Pelvic ring fracture	7.14	5 (3-8)	1 956
-	Burst or compression fracture	4.40	3 (2-5)	1 086
-	All diagnoses	4.43	3 (2-5)	20 905
65-74	-	-	-	-
-	Superficial injury	7.18	4 (2-8)	3 132
-	Pelvic ring fracture	13.27	8 (4-17)	3 489
-	Upper limb fracture	12.93	7 (3-13)	2 469
-	Mild TBI	7.11	4 (2-8)	1 208
-	Rib fracture	7.60	5 (3-10)	1 247
-	All diagnoses	9.02	5 (3-10)	21 766
75+	-	-	-	-
-	Superficial injuries	10.71	7 (3-13)	25 274
-	Pelvic ring fracture	17.56	13 (7-23)	29 143
-	Upper limb fracture	14.01	10 (5-18)	13 950
-	Rib fracture	13.37	9 (5-17)	11 261
-	Burst or compression fracture	15.17	12 (6-20)	10 404
-	All diagnoses	13.55	9 (4-18)	136 853
All ages	All diagnoses	9.56	5 (2-12)	183 209